
EXIT
FIRE EXTINGUISHER
10/08/2026 13:47


EXIT
COPY PAPER
BANKERS BOX
W.B.MASON
10/08/2026 13:47


BLIZZARD
BLINDING WHITE
COPY PAPER
98 BRIGHTNESS
W.B.MASON
10/08/2026 13:47


10/08/2026 13:48


10/08/2026 13:48


Myers
10/08/2026 13:48


10/08/2026 13:48


10/08/2026 13:48


BROUGHT FROM MAIN OFFICE
10/08/2026 13:49


EXIT
10/08/2026 13:49


B
10/08/2026 13:49


10/08/2026 13:49


1900
Circ Pump Panel
Power-Rite
PRB1212(12V12AH/20HR)
Power-Rite
PRB1212(12V12AH/20HR)
HEUBECK SPRINKLER
10/08/2026 13:49


1900
CALL
AUER ELECTRIC, INC.
Electrical Contractors
Emergency Service Call (410) 661-4300
for service
E
10/08/2026 13:50


Simplex
4005
tyco
EMERGENCY
Service
CAUTION
Circ Pump Panel
BFPE
2026
HEUBECK SPRINKLER
1900
PRESTON
DANGER
INSTRUCT
10/08/2026 13:50


SIEMENS
SERVICE
DISCONNECT
400
ON
TRIPPED
10/08/2026 13:50

Devices To Be Installed Or Replacement Units Must Be From The Same Manufacturer Of The Same Type And Have Equal Or Greater Interrupting Ratings.

Connecting Wire Torques*					
Screw Driver		Socket Head			
Wire AWG	Torque Lb - In (N - m)		Torque Lb - In (N - m)		Torque Lb - In (N - m)
18 - 10	35	(4.0)	1/8" (3.2mm)	45	(5.1)
8	40	(4.5)	5/32" (3.9mm)	100	(11.3)
6 - 4	45	(5.1)	3/16" (4.8mm)	120	(13.6)
2 - 2/0	50	(5.7)	7/32" (5.6mm)	150	(17.0)
			1/4" (6.4mm)	200	(22.6)
* See Marking On Device For Their Torque			5/16" (7.9mm)	275	(31.1)
			3/8" (9.5mm)	375	(42.4)
			1/2" (12.7mm)	500	(56.5)
			9/16" (14.3mm)	600	(67.8)

Torque Values For Copper Or Aluminum Bus Bar Connections		
Bolt Size	Torque	
	Lb - In (N - m)	Lb - Ft (N - m)
# 10	30 (3.4)	
1/4"	68 (7.7)	
5/16"		10 (13.6)
3/8"		20 (27.1)
1/2"		50 (67.8)

Any Space On This Panel Will Accept A Breaker Of The Same Frame Size As The Opposite Breaker.

Breaker-Switch Spaces On This Panel Will Accept One Of The Following Breakers or Switches Along With Their Respective Connector Kit.

SPACE	BREAKERS	CONNECTOR KIT CATALOG NO.
4 1/8 (104.8 mm)	1 POLE EHD / FD / FDB / HFD / FDC	KPRL4FD1
	2 POLE EHD / FD / FDB / HFD / FDC	KPRL4FD2
	3 POLE EHD / FD / FDB / HFD / FDC	KPRL4FD3
	2 POLE ED / EDH / EDC	KPRL4ED2
	3 POLE ED / EDH / EDC	KPRL4ED
	2-3 POLE JD / JDB / HJD / JDC (Single)	KPRL4JDS
	2-3 POLE JD / JDB / HJD / JDC (Twin)	KPRL4JDT
	2-3 POLE FBP / FCL	KPRL4FBP
	2-3 POLE FDB - LFB	KPRL4FBP
5 1/2 (139.7 mm)	2-3 POLE DK / KD / KDB / HKD / KDC (Single)	KPRL4KDS
	2-3 POLE DK / KD / KDB / HKD / KDC (Twin)	KPRL4KDT
8 1/4 (209.6 mm)	2-3 POLE LD / HLD / LDC	KPRL4LC
	2-3 POLE LA-P	KPRL4LAP
	2-3 POLE LCL	KPRL4LCL
	2-3 POLE MDS / HMDS / MDSY	KPRL4MC
	2-3 POLE MDL/HMDL/CMDL/CHMDL	KPRL4MD
	2-3 POLE NB-P	KPRL4NBP *
	2-3 POLE ND/HND	KPRL4ND *

SWITCH HEIGHT	AMP RATING	250 VOLT FDPW 3 POLE CATALOG NO.	600 VOLT FDPW 3 POLE CATALOG NO.	CONNECTOR KIT CATALOG NO.
5 1/2 (139.7 mm)	30-30	FDPWT3211R	FDPWT3611R FDPWT3611J	KPRL4W4XT
	30-60	FDPWT3212R	FDPWT3612R FDPWT3612J	
	30-100	FDPWT3213R	---	
	60-60	FDPWT3222R	FDPWT3622R FDPWT3622J	
	60-100	FDPWT3223R	---	
	100-100	FDPWT3233R	---	
6 7/8 (174.6 mm)	30	---	FDPWS361R FDPWS361J	KPRL4W5XS
	60	---	FDPWS362R FDPWS362J	
	100	FDPWS323R	FDPWS363R FDPWS363J	
	30-100	---	FDPWT3613R	KPRL4W5XT
	60-100	---	FDPWT3623R	
	100-100	---	FDPWT3633R FDPWT3633J	
8 1/4 (209.6 mm)	200	FDPWS324R	FDPWS364R FDPWS364J	KPRL4W6XS
	200-200	FDPWT3244R FDPWT3244F	FDPWT3644J FDPWT3644F	KPRL4W6XT * *
12 3/8 (314.3 mm)	400	FDPW325R	FDPW365R FDPW365J	KPRL4W9X
15 1/8 (384.2 mm)	600	FDPW326R	FDPW366R FDPW366J	KPRL4W11X
	800	FDPW367 FDPW327F	FDPW367	KPRL4W11X *
20 5/8 (523.9 mm)	1200	FDPW368 FDPW328F	FDPW368	KPRL4W15X *

For 2 Pole Switches - Change First No (3) to (2) In Catalog No.
Example FDPWT3211R Changed to FDPWT2211R.

* Minimum Width - 44" enclosure.

10/08/2026 13:51


TOSHIBA
IP5000
10/08/2026 13:53


WOMEN
10/08/2026 13:54


10/08/2026 13:55


10/08/2026 13:55


10/08/2026 13:56


10/08/2026 13:56


10/08/2026 13:56


Welcome Friends
10/08/2026 13:56


213
COMPUTER
ROOM
10/08/2026 13:56


10/08/2026 13:56


10/08/2026 13:57


10/08/2026 13:57


Stop Germs! Wash Your
When?
How?
10/08/2026 13:57


10/08/2026 13:57


OUT OF TOWN
(metered mail)
10/08/2026 13:57


10/08/2026 13:58